

# PIXMA iX6560

Inkjet Office Printer

**Canon**

Delighting You Always



EXPAND YOUR BUSINESS WITH A3 PRINTING



# THE PIXMA BLACK SERIES

# BUSINESS PROFESSIONAL

## The PIXMA iX6560

Here's a printer that really means business. With downloadable Solution Templates featuring crisp, classy designs just a few mouse clicks away, you can spend less time on the designing, and get straight to the printing of professional-looking A3 sized newsletters, notices and menus. Step up to speed, quality and high-performance printing with the PIXMA iX6560 – your platform for professionalism.



### Print Resolution

9600dpi (max.) 1pl Ink Droplets (min.)



### Document Printing

11.3ipm

Mono

8.8ipm

Color



Measured by ISO / IEC 24734 Standard

## The Only Way To Know The True Speed Of A Printer

### ISO Print Standard

To compare the speed of inkjet printers, a universal standard must be used. For instance, it's impossible to know which printer is faster: one that prints 10 images per minute (ipm) or one that prints 30 pages per minute (ppm). Canon uses the universal ISO Print Speed Measurement standard to ensure that you always get the performance you expect right out of the box. So before you buy any inkjet printer, demand to know the ISO standard.



### Photo Printing

4x6" borderless in 36sec.

## Better Business Documents

### Solution Templates

Download your customisable Solution Template, insert text or additional clipart and images from your PC, and print. That's how easy it is to create professional-looking business documents on the PIXMA iX6560.



### Solution Template

## Make A Big Impression

### Print Up To A3+/Ledger Size

The PIXMA iX6560 supports a wide range of paper types and sizes. Print business documents up to A3 and Ledger sizes, and brilliant photos up to A3+ sizes.



## Precise Color, Professional Text, Cost-Saving Individual Ink Tanks

### Five-Color Hybrid Ink System

Both pigment- and dye-based inks are used to ensure brilliant color documents and photos, as well as razor-sharp text even when it's printed over an image. And with individual ink tanks, you replace only the depleted ink color, thereby eliminating ink wastage.




# Enhanced Easy-WebPrint EX



Easy-WebPrint EX


## Gray-To-Black Legibility

Enhance the legibility of gray text on web pages by printing it in crisp, easy-to-read black.



## Single Click Fit-To-Page

With one click, enlarge or reduce the size of clipped web content so that it fits onto a single sheet of paper.



## Clip & Merge


Save time, space and paper by clipping, editing, resizing and printing only what you want from web pages.

You can even insert images stored on your PC and rearrange the layout before printing.




## Auto Clipping

With one click, clip the main part of the web page for printing.



## Save Paper

Paper-saving features include reduced fit-to-page layout and save to PDF options.



# Easy Access

## Solution Menu EX

Enjoy easy access to a range of photo printing, scanning and web-based solutions with this unique launcher application. When not in use, it can be minimized to a corner of the desktop.



# Automatic Photo Optimization



Auto Photo Fix II (Easy-Photo Print EX)

## Auto Photo Fix II

Before printing, images are analyzed with a unique multi-zone exposure correction technology to correct and enhance skin tones, brightness, contrast and even the color cast.



Original



Corrected color cast

# Print Stills From Your Movie




## Full HD Movie Print

Capture and print individual frames of HD movies you shoot with a Canon digital camera. Before printing, images can be even be corrected to enhance resolution and to reduce image noise.



\*Only for ".mov" files created by Canon digital cameras. Requires Canon ZoomBrowser EX 6.5 or later, or Canon ImageBrowser 6.5 or later.



# Easy-PhotoPrint EX

## Import Photos Directly From Flickr®

Choose from hundreds of thousands of high-quality Flickr® images to decorate photo albums, calendars, travel journals and stickers.





\*It is unlawful to reproduce or edit the copyrighted work of another person without permission from the copyright holder, except for personal use, use within the home, or other use within the limited scope as defined by the copyright. Additionally, reproducing or editing photographs of people may infringe on portrait rights.

# Memories For More Than A Lifetime – ChromaLife100+

Canon's dye-based inks and genuine photo papers work synergistically to create brilliant, fade-resistant prints. Under proper storage conditions, your photos can last up to 300 years.\*

Gas Fastness Approx.  
**20 Years**



\*Under proper storage conditions. See specifications for details.

## Photo Printing



**PT-101  
Photo Paper Pro  
Platinum  
(Super High  
Gloss)**

- 300g/m<sup>2</sup>
- 4x6", 8x10", A4, A3, A3+



**PP-201  
Photo Paper  
Plus Glossy II**

- 260g/m<sup>2</sup>
- 4x6", A4, A3, A3+



**GP-501  
Glossy Photo  
Paper**

- 170g/m<sup>2</sup>
- 4x6", A4



**SG-201  
Photo Paper Plus  
Semi-Gloss**

- 270g/m<sup>2</sup>
- 4x6", 8x10", A4, A3, A3+, 10x12"

## Special Projects



**MP-101  
Matte Photo  
Paper**

- 170g/m<sup>2</sup>
- 4x6", A4, A3



**PS-101  
Photo Stickers**

- 190g/m<sup>2</sup>
- Stickers (5 sheets/pack) (16 photo stickers/sheet)

## Business Printing



**HR-101N  
High Resolution  
Paper**

- 110g/m<sup>2</sup>
- A4, A3, A3+

## Ink Cartridges

**PGI-725  
Pigment  
Black**



**CLI-726  
Dye  
Cyan**



**CLI-726  
Dye  
Magenta**



**CLI-726  
Dye  
Yellow**



**CLI-726  
Dye  
Black**



\*CHROMALIFE100\* PROPER STORAGE CONDITIONS

### 300-year life in an album:

<Criteria for estimation> The permanence presented above are made using an accelerated dark storage test designed for silver-halide photos (ISO/FDIS18909). Samples are printed with an optical density of 1.0 (each black, cyan, magenta, yellow) and kept in a controlled environment of high temperature and 50% relative humidity. The test environment is designed to accelerate color fading. The rate of the decrease in the optical density and the rate of yellow discoloration of the paper are measured. Finally, the results are extrapolated to the length of time that a printed image is kept in an environment of 23°C 50% RH.

### 30-year lightfastness:

<Criteria for estimation> When displayed in a glass frame in a typical indoor space (estimating 500lx / 10 hours per day) without direct sunlight. Estimates for lightfastness are made under the following test conditions. Light source: White fluorescent light 70,000lx; Temperature: 24°C; Humidity: 60% RH; A 2mm thick glass is placed on the sample with an air gap between the glass and the sample during accelerated testing.

### 20-year gas fastness:

<Criteria for estimation> Estimates for gas fastness are made under the following test conditions: Temperature (24°C) and humidity (60% RH) are controlled in an environment of mixed gases of O<sub>3</sub>, NO<sub>x</sub> and SO<sub>x</sub>; the ratio of the gases is typical to indoor air composition (O<sub>3</sub>: NO<sub>x</sub>: SO<sub>x</sub> = 3:19:1) with 100-times concentration in order to accelerate fading.

### <Criteria for estimation of print longevity>

Estimates for image permanence are made using the Wilhelm Imaging Research, Inc. Endpoint criteria: Accumulated illuminance causes a monochromatic / reflective optical density loss of 20-35% (figures set respectively for each color, starting density of 1.0). Accumulated illuminance causes a difference in color balance of yellow, magenta and cyan (each component in composite black) of 12-18%.

### <Tips>

Making your printed images last longer: Light, environmental gases, high temperature and humidity can accelerate color fading. When displaying your photographs, avoid high-intensity lighting and use glass-filtered frames. Photos stored in the dark, using archival quality albums or storage materials, will tend to last longer than photos that are exposed to light. Avoid high temperatures and high humidity to promote the image permanence of your photos.

Note: The image permanence estimates presented above may vary depending on display / storage conditions. The expressed numbers of years estimates are the result of simulated, accelerated tests conducted by Canon Inc., and do not represent a product guarantee.

EXCLUSIVE ACCESS!

## CREATIVE PARK PREMIUM

This printer and Canon Original Inks give you exclusive access to Canon's CREATIVE PARK PREMIUM website (via Solution Menu EX). It features magnificent photos and illustrations from world renowned artists. And it's yours FREE! This professional-quality content is available when all Canon Original Inks are properly installed. So bring out the best in yourself and your printer – visit Canon Creative Park Premium!

NOTE: CREATIVE PARK PREMIUM is a premium content service available exclusively to users only when all of the colors of genuine Canon inks are installed.



## CREATIVE PARK

FREE DOWNLOADS!

At Canon Creative Park, your creativity comes alive! Download everything from 3D paper projects to gift and card templates. Best of all, it's FREE!



CREATIVE PARK

[www.canon.com/c-park](http://www.canon.com/c-park)

# PIXMA iX6560 Specifications

PRINT		
Maximum Printing Resolution		9600 (horizontal)*1 x 2400 (vertical) dpi
Print Head/Ink	Type/Ink System	Permanent / Individual Ink Cartridge
	Total Number of Nozzles	4,608 nozzles
	Min. Ink Droplet Size	1pl
	Ink Tank	PGI-725 Pigment Black, CLI-726 Cyan / Magenta / Yellow / Black
Print Speed	Document : Color*2	ESAT/Simplex approx. 8.8ipm
	Document : B/W*2	ESAT/Simplex approx. 11.3ipm
	Photo (4x6")*2	PP-201/Standard/Borderless approx. 36sec.
Printable Width		Up to 322.2mm; Borderless: Up to 329mm (A3+)
Recommended Printing Area		Top margin: 40.7mm / Bottom margin: 37.4mm
Paper Size		A3+, A3, A4, A5, B4, B5, Letter, Legal, Ledger, 4x6", 5x7", 8x10", 10x12", Envelopes (DL, COM10)
PAPER HANDLING		
PAPER HANDLING (Rear Tray) (Maximum Number)	Plain Paper	A3, A4, A5, B4, B5, LTR, LGL, LDR = 150
	High Resolution Paper (HR-101N)	A4= 80; A3 = 50; A3+ = 20
	Photo Paper Pro Platinum (PT-101)	4x6" = 20; A3, A4, 8x10" = 10; A3+ = 1
	Photo Paper Plus Glossy II (PP-201)	4x6" = 20; A3, A4 = 10; A3+ = 1
	Photo Paper Plus Semi-gloss (SG-201)	4x6" = 20; A3, A4, 8x10" = 10; A3+, 10x12" = 1
	Glossy Photo Paper "Everyday Use" (GP-501)	4x6" = 20; A4 = 10
	Matte Photo Paper (MP-101)	4x6" = 20; A4, A3 = 10
	Photo Stickers (PS-101)	1
	T-Shirt Transfer (TR-301)	1
	Envelope	European DL, US Com. #10 = 10
Paper Weight	Rear Tray	Plain Paper: 64-105 g/m <sup>2</sup> , Canon specialty paper: max paper weight: approx. 300g/m <sup>2</sup> (Photo Paper Pro Platinum PT-101)
OPERATING SYSTEM		
Windows	(Please visit <a href="http://www.canon-asia.com">www.canon-asia.com</a> to check OS compatibility and to download the latest driver updates)	Windows XP, Windows Vista, Windows 7
Macintosh		Macintosh OS X 10.4.11 - 10.6
GENERAL		
Interface	PC	USB 2.0 Hi-Speed
Operating Environment		Temperature: 5 - 35°C, Humidity: 10 - 90% RH (no dew condensation)
Storage Environment		Temperature: 0 - 40°C, Humidity: 5 - 95% RH (no dew condensation)
Acoustic Noise (PC Print)*3		approx. 45.0db(A)
Power		100-240V, 50/60Hz
Power Consumption	Standby (scanning lamp is off) (USB connection to PC)	approx. 1.3W
	OFF (USB connection to PC)	approx. 0.5W
	Printing*4	approx. 20W
Environment	Regulation	RoHS (EU, China), WEEE (EU)
	Eco-Label	Energy Star
Duty Cycle		Up to 7,000 pages/month
Dimension (W x D x H)		approx. 549 x 299 x 159mm
Weight		approx. 7.6kg

Specifications are subject to change without notice.

\*1 Ink droplets can be placed with a pitch of 1/9600 inch at minimum.

\*2 Document print speeds are the averages of ESAT in Office Category Test for the default mode, ISO/IEC 24734, excluding time to print the first set.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into account data processing time on host computer.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used, etc.

\*3 When printing ISO/JIS-SCID N2 pattern on 4x6" Photo Paper Plus Glossy II using default settings.

\*4 Print: When printing ISO/JIS-SCID N2 pattern on A4 size plain paper using default settings.



Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL  
HEADQUARTERS:

**CANON SINGAPORE PTE. LTD.**

1 HarbourFront Avenue #04-01 Keppel Bay Tower  
Singapore 098632  
Tel: 65-6799 8888 Fax: 65-6799 8882  
www.canon-asia.com

BANGLADESH:

**J.A.N. Associates**

Tel: 880-2-8611 444  
Fax: 880-2-8610 410

BRUNEI:

**Interhouse Company**

Tel: 673-2-653 001  
Fax: 673-2-653 003

CAMBODIA:

**i-Click (Cambodia) Pte. Ltd.**

Tel: 855-23-996 638  
Fax: 855-23-996 639

INDIA:

**Canon India Pvt. Ltd.**

Tel: 91-124-4160 000  
Fax: 91-124-4160 011  
www.canon.co.in

INDONESIA:

**P. T. Datascrip**

Tel: 62-21-2664 8999  
Fax: 62-21-6544 811-13  
www.canon.co.id

MALAYSIA:

**Canon Marketing (Malaysia) Sdn. Bhd.**

Tel: 603-7844 6000  
Fax: 603-7845 0505  
www.canon.com.my

MALDIVES:

**SIMDI**

Tel: 960-324 819  
Fax: 960-318 433

MYANMAR:

**Myanmar Golden Rock International Co. Ltd.**

Tel: 95-1-2020 92/3/4  
Fax: 95-1-202 079

NEPAL:

**International Electronics Concern (P) Ltd.**

Tel: 977-1-4421 991  
Fax: 977-1-4421 909

PAKISTAN:

**MBM International**

Tel: 92-21-3227 7093  
Fax: 92-42-3753 0948

SINGAPORE:

**Canon Singapore Pte. Ltd.**

Tel: 65-6799 8888  
Fax: 65-6221 7577  
www.canon.com.sg

SRI LANKA:

**Metropolitan Computers (Pvt.) Ltd.**

Tel: 94-11-2437 797  
Fax: 94-11-2448 980

THAILAND:

**Canon Marketing (Thailand) Co. Ltd.**

Tel: 66-2-3449 999  
Fax: 66-2-3449 967-68  
www.canon.co.th

VIETNAM:

**Canon Singapore Pte. Ltd.**

Ho Chi Minh City Representative  
Office & Showroom  
Tel: 84-8-8200 466  
Fax: 84-8-8200 477  
www.canon.com.vn

Hanoi Representative Office

Tel: 84-4-7711 677  
Fax: 84-4-7711 678  
www.canon.com.vn

Dealer's Stamp